



UtiliTough.com  
1425 Wilson Road  
Newberry, SC 29108  
803.597.6890  
[frontdesk@utilitough.com](mailto:frontdesk@utilitough.com)

**HYDRAULIC BRUSH CUTTERS**



Rugged, durable land clearing machines with extraordinary efficiency clearing debris

### Hydraulic Rotary Excavator Brush Cutters for Mini Excavators



Removable Bolt-on Protection Shield




Powered by **EATON**

Direct Drive Hydraulic Motor

**The UtiliTough Hydraulic Rotary Excavator Brush Cutter for excavators up to 20k lbs. features:**

- ✓ Available in 42" and 48"
- ✓ Available in low flow, standard flow, and mid flow
- ✓ Dimensions:
  - ✓ 42" cutter: 47" (W) x 47" (D) x 24" (H)
  - ✓ 48" cutter: 53" (W) x 53" (D) x 24" (H)
- ✓ 1/4" A36 reinforced steel deck
- ✓ Reversible, replaceable, bi-directional AR 500 hardened steel blades
- ✓ 1/2" blade carrier plate
- ✓ Durable powder coated finish
- ✓ Includes hydraulic hoses and fittings
- ✓ Warranty does not cover blades or hoses
- ✓ Replacement blade kit for 42" cutter includes: 2 blades, bolts and nuts; must be welded (must buy entire kit for safety purposes)
- ✓ Replacement blade kit for 48" cutter includes: 3 blades, bolts, and nuts; must be welded (must buy entire kit for safety purposes)



*\*Specify make and model of host machine, quick attach or pin-on mounting bracket when placing order*

UtiliTough Brush Cutters are Made in the USA from American made steel



Model #:	Description	# Blades	Blade Length (Bolt center to blade tip)	Blade Width	Blade Carrier Plate	Cutting Capacity Diameter	True Cut Width	Min Cut Height	Deck Height	Hose Size	Couplers Included	Motor	Oil Flow Required	Tip Speed	Warranty	Est Weight (lbs)
1BCEXL42	42" Excavator Brush Cutter Low Flow	2	10.5"	6.25"	1/2"	4"	42"	1.75"	6"	63" X 117"	1/2" Flat Face	2K - 80CC	14-20 GPM	8,500-10,000	1 year	804
1BCEXL48	48" Excavator Brush Cutter Low Flow	3					48"					860				
1BCEXS42	42" Excavator Brush Cutter Standard	2					42"					804				
1BCEXS48	48" Excavator Brush Cutter Standard	3					48"					860				
1BCEXM48	48" Excavator Brush Cutter Mid Flow	3					48"					860				
												4K - 160CC				22-30 GPM

***This machine is not a stump grinder, nor a forestry mulching head; does not produce fine mulch***

***Specifications subject to change without notice***



Rugged, durable land clearing machines with extraordinary efficiency clearing debris

### Hydraulic Rotary Brush Cutters for Mini Skid Steers



Powered by **EATON**  
Direct Drive Hydraulic Motor

**Compact in size but full size in power, our Mini Skid Steer Brush Cutter cuts through brush and saplings with ease**

The UtiliTough Hydraulic Rotary Skid Steer Brush Cutter features:

- ✓ Available in 42" and 48"
- ✓ Available in low flow and standard flow
- ✓ Dimensions: 51" D, 48.5" W, 22" H
- ✓ Durable powder coat finish
- ✓ Includes hydraulic hoses and fittings
- ✓ Warranty does not cover blades or hoses
- ✓ High strength push bar on front
- ✓ Motor cover for added protection
- ✓ Strongest drive unit in the industry
- ✓ Reversible, replaceable, bi-directional AR 500 hardened steel blades
- ✓ 3" diameter brush cutting capacity
- ✓ Replacement blade kit includes: 2 blades, bolts and nuts; must be welded (must buy entire kit for safety purposes)



**UtiliTough Brush Cutters are Made in the USA from American made steel**

Model #:	Description	# Blades	Cutting Capacity		Blade Carrier	Hose Size	Couplers Included	Motor	Oil Flow Required	Warranty	Est Weight
			Diameter	Deck Thickness							
1BCMNSSLF42	42" Mini Skid Steer Brush Cutter Low Flow	2	3"	.1875"	.50"	.63" X 117"	1/2" Flat Face	2K - 80CC	14-20 GPM	1 year	373 lbs
1BCMNSSLF48	48" Mini Skid Steer Brush Cutter Low Flow	3									426 lbs
1BCMNSSSF42	42" Mini Skid Steer Brush Cutter Standard Flow	2						373 lbs			
1BCMNSSSF48	48" Mini Skid Steer Brush Cutter Standard Flow	3						426 lbs			

**DO NOT OPERATE ROTARY BRUSH CUTTER WITHOUT A SHATTERPROOF CAB DOOR ON LOADER**

***This machine is not a stump grinder, nor a forestry mulching head; does not produce fine mulch***

***Specifications subject to change without notice***





Rugged, durable land clearing machines with extraordinary efficiency clearing debris

## Hydraulic Rotary Brush Cutters for Skid Steers and Compact Track Loaders



Powered by **EATON**  
Direct Drive Hydraulic Motor



3/8" Dual Blade Carriers on all Skid Steer Models

Available with or without Bolt-on Mulching Teeth;

Blades are bi-directional on models without bolt-on mulching teeth

\*Pictured: 72" without teeth; other model blade carrier shape vary based on size & options selected

### The UtiliTough Hydraulic Rotary Skid Steer Brush Cutter features:

- ✓ Available in 60" and 72" with or without mulching teeth
- ✓ Available in standard flow, mid flow and high flow
- ✓ Dimensions:
  - ✓ 60" cutter: 75" (W) x 68" (D) x 22" (H)
  - ✓ 72" cutter: 82.5" (W) x 80" (D) x 22" (H)
- ✓ 1/4" A36 reinforced steel deck supporting an Eaton direct drive hydraulic motor and an extra heavy duty hub / bearing assembly connected by a 6 bolt flange
- ✓ An internal relief valve built-in protects the motor if necessary
- ✓ 3000 PSI relief valve
- ✓ High strength open faced push bar
- ✓ Universal Quick Attach
- ✓ Reversible / replaceable AR 500 hardened steel blades
- ✓ Comes standard with bolt-on skid shoes
- ✓ Dual- (2) 3/8" blade carrier plates
- ✓ No case drain required
- ✓ Durable powder coated finish
- ✓ Includes hydraulic hoses and fittings
- ✓ Warranty does not cover blades or hoses
- ✓ Replacement blade kit includes: 3 blades, bolts and nuts, must be welded (must buy entire kit for safety purposes)



Safety Chain included with all skid steer models to secure on the host machine to limit the height that the cutter can be raised.



UtiliTough Brush Cutters are Made in the USA from American made steel

Model #:	Description	# Blades	Blade Length (Bolt center to blade tip)	Blade Width	Blade Carrier Plates	Cutting Capacity Diameter	True Cut Width	Min Cut Height	Deck Height	Hose Size	Couplers Included	Motor	Oil Flow Required	Tip Speed	Warranty	Est Weight (lbs)
1BCSF60	60" Skid Steer Standard Flow	3	12"	6.38"	Dual (2)-3/8"	7"	60"	1.75"	7.25"	.63" X 117"	1/2" Flat Face	2K - 120CC	18-25 GPM (28 continuous)	8,500-10,000 FPM	1 year	1380
1BCSF60T	60" Skid Steer Standard Flow w/ Teeth						1430									
1BC72SF72	72" Skid Steer Standard Flow						1500									
1BC72SF72T	72" Skid Steer Standard Flow w/ Teeth						1550									
1BCMF60	60" Skid Steer Mid Flow						1380									
1BCMF60T	60" Skid Steer Mid Flow w/ Teeth						1430									
1BCMF72	72" Skid Steer Mid Flow						1500									
1BCMF72T	72" Skid Steer Mid Flow w/ Teeth						1550									
1BCHF72	72" Skid Steer High Flow						1500									
1BCHF72T	72" Skid Steer High Flow w/ Teeth						1550									

DO NOT OPERATE ROTARY BRUSH CUTTER WITHOUT A SHATTERPROOF CAB DOOR ON LOADER

***This machine is not a stump grinder, nor a forestry mulching head; does not produce fine mulch***

***Specifications subject to change without notice***